Attorney Docket No: 53296-2

DECLARATION AND POWER OF ATTORNEY

As the below-named inventor, I declare that I am the original, first, and sole inventor of the subject matter which is claimed in the patent application identified below and for which a patent is sought on the invention as titled therein. I hereby state that I have reviewed and understood the contents of said specification, including the claims. I acknowledge the duty to disclose information which is material to the examination of this application in accordance with 37 C.F.R. § 1.56(a).

Inventor:

Sajid Ahmed

Address:

P.O. Box 153

La Cañada, CA 91012

Residence:

La Cañada, California, USA

Citizenship:

USA

Title of Invention: SYSTEM AND METHOD FOR DECISION MAKING

Serial No.: to be assigned, filed on January 8, 2001

- [] There are no earlier-filed United States Patent Applications of which priority benefit is claimed.
- [X] I hereby claim the benefit under 35 U.S.C. § 120 of the United States Patent Application listed below, and, insofar as the subject matter of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of 35 U.S.C. § 112, I acknowledge the duty to disclose material information as defined in 37 C.F.R. § 1.56(a) which occurred between the filing date of the prior application and the filing date of this application:

USSN:	Filed:	Status:
60/175,106	06 January 2000	pending

POWER OF ATTORNEY

The power to prosecute this application and transact all business in the Patent and Trademark Office connected herewith is hereby granted to the following attorneys:

Todd M. Becker, Registration No. 43,487 Vita Conforti, Registration No. 39,639 Barry L. Davison, Registration No. 47,309

Please send all correspondence to:

Barry L. Davison
Davis Wright Tremaine LLP
2600 Century Square
1501 Fourth Avenue
Seattle, WA 98101-1688
Telephone: (206) 628-7621

Facsimile: (206) 628-7699

I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements are made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Signature of Inventor:

Date signed:

1-8-2001

Sajid Ahme

id almed


Appendix A

```
#!/usr/bin/perl -w
$html_title = $0;
\frac{1}{3} $html title =~ s/.*V(\w+)$/$1/;
$cgi name = $html title;
\frac{1}{g}
$[ = 1;
debug = 0;
$answercookiename = "chaincookie";
$answercookiefilter = "[-0123456789:.]+";
$levelcookiename = "chainlevel";
@questions_2b_asked = ();
($num questions,$num conditions,$max level) = read dat file();
if ($debug) { addbody("# questions=$num questions, # conditions=$num conditions, max
lvl=$max_level<br>\n"); }
($first unanswered question,$level) = get state from_cookie($num_questions);
if ($debug) { addbody("get_state_from_cookie:first=$first_unanswered_question,level=$level<br>\n");}
update_state_from_form();
$new answercookie = join(":", @answers);
$new levelcookie = $level+1;
if ($debug) {
  addbody("new level=$new levelcookie\n<br>");
  addbody("new answer cookie = $new answercookie\n");
 if ( $new answercookie =~ /$answercookiefilter/ ) {
   addbody("new answercookie passed filter\n");
 }
}
if ($debug) { addbody("\n\n\n"); }
if ($level > $max_level) {
  while (($diag, $factor list) = each %condition) {
   if ( $debug ) { addbody("$diag (has factors $factor_list)<br>\n"); }
   @factors = split(',', $factor_list);
   if ($debug) { addbody("$#factors items in \@factors<br>\n"); }
   $score = 0; $max = 0; $num_answers=0;
   foreach $factor (@factors) {
     (\text{question},\text{weight}) = \text{factor} = \sim /q(\d+) = (\d+\.*\d*)/;
     $max = $max + $weight;
     if ( $answers[$question] > 0 ) {
       $score = $score + ( $weight * $answers[$question] );
       $num answers++;
     $answer = $answers[$question];
     if ( $debug ) { addbody(" pondering $question $weight. It was \"$answer\" so new score =
$score<br>\n"); }
     $question++;
   }
```

```
if ( $num_answers==0 ) { $num_answers=1; }
   $score = int( $score / $num answers * 100) / 100;
   if ($debug) { addbody( " final score = $score ($max max)\n"); }
   $a{$diag} = $score;
   $question++;
 if ( $debug ) { print "\n"; }
 @unsorted = ();
 foreach $diag (keys(%a)) {
   $url = $diag;
   \  \  = \  \  (V)/_/g;
   url = - s/["]//g;
   $url = "http://adsl-63-194-251-2.dsl.lsan03.pacbell.net/igotpain/$cgi name/$url.html";
   @unsorted = ( "$a{$diag}\t\t<a href=\"$url\" TARGET=\"reference\">$diag</a>\n", @unsorted );
 if ($debug) { addbody("</PRE>\n"); }
 addbody("<PRE>\n");
 addbody( "% Possibility\tCondition\n");
 addbody(reverse(sort sortdiags @unsorted));
 addbody("</PRE>\n");
 if ($debug) { addbody("</PRE>\n"); }
 addbody("(Back to <A HREF=\"/igotpain/welcome.html\" TARGET=\"reference\">vitruvian man</A>)");
 if ($debug) { addbody("<PRE>\n"); }
 $new_answercookie = "":
 $new levelcookie = "";
}
else { # ask another set of questions
 if ($debug) { addbody("</PRE>\n"); }
 addbody("<FORM method=\"POST\" action=\"/cgi-bin/igp/$cgi name\">\n");
 @questions 2b asked = build question list($level, $max level, $first_unanswered_question,
$num questions);
 $new answercookie = join(":", @answers);
 $new levelcookie = $level+1;
 if ($debug) {
   addbody("new_level=$new_levelcookie, old_level=$level\n<br/>br>");
   addbody("new answer cookie = $new answercookie\n");
   if ( $new answercookie =~ /($answercookiefilter)/ ) {
     addbody("new answercookie passed filter\n");
 $current header = "";
 foreach $qdata (@questions_2b_asked) {
   ($qnum,$level,$depend,$help_ref,$question,$qheader) = split("xyzzy",$qdata);
   if ( $current_header ne $qheader ) {
     $current header = $qheader;
     addbody("<TABLE BGCOLOR=\"#A0A0A0\"><TR><TD ALIGN=\"LEFT\"
COLSPAN=2><H2>$current header</H2></TD></TR>\n");
   addbody("<TR>\n");
   addbody(get_question_html("q$qnum",$question,$help_ref,"no"));
   addbody("</TR>\n");
 addbody("</TABLE>\n");
 addbody("<input type=\"submit\" value=\"Proceed\">\n");
 addbody("<input type=\"reset\">\n");
```

```
addbody("</FORM>\n");
 if ($debug) { addbody("<PRE>\n"); }
sub sortdiags {
  ($aa) = split("\t",$a);
  (\$bb) = split("\t",\$b);
  #$aa = sprintf("%3.4d",$aa);
 #$bb = sprintf("%3.4d",$bb);
 ($aa<=>$bb)
}
###
### do the printout
###
&printheader($new_answercookie,$new_levelcookie);
printhtml();
exit 0;
#XXXXXXXXX
sub build_question_list {
  local ($last lev, $max lev, $first q, $last q) = @;
  local ($qlevel,$qdepend,$dep_qnum,$dep_answer);
  @qlist = ();
  if ($debug) { addbody("in build question list(last=$last lev, max=$max lev, first=$first q,
last=$last_q)\n<br>"); }
  foreach $qnum ( $first_q..$last_q ) {
   if ( $answers[$qnum] != -1 ) {
     if ($debug) { addbody("q#$qnum skipped<br>\n");}
     next;
    ($iqnum,$qlevel,$qdepend) = split("xyzzy",$q[$qnum]);
    if ($debug) { addbody("qnum = $iqnum($qnum); qlevel = $qlevel; qdepend = $qdepend<br>\n"); }
    (\text{dep qnum}, \text{dep answer}) = \text{qdepend} = \sim /(\d+)([+-]*)/;
   if (\$dep_answer =~ \land+/) {\$dep_answer = "1";}
   if ($dep answer =~ /-/) { $dep_answer = "0"; }
   if ($debug) { addbody("answers[$dep_qnum]=$answers[$dep_qnum], dep_qnum=$dep_qnum,
dep_answer=$dep_answer<BR>\n"); }
   if ( $qlevel == $last lev ) {
     if ( $dep_qnum == 0 || $answers[$dep_qnum] == $dep_answer ) {
       push(@qlist,$q[$qnum]);
       if ($debug) { addbody("pushed $q[$qnum]\n"); }
     }
   }
  if ($debug) {
   addbody( "build_question_list = \n");
   foreach $line (@qlist) { addbody( "$line\n"); }
  @qlist;
```

```
sub update_state_from_form {
  n = <>
  $n = "" unless ($n);
  if ( $debug ) { addbody( "STDIN: $n\n<br>"); }
  @question_answer = split(/&/, $n);
  foreach (@question answer) {
   if ( $debug ) { addbody("$_:"); }
   if ( /q(\d+)=(\w+)/ ) {
     (\$qnum,\$val) = (\$1,\$2);
     if ( $debug ) { addbody("$qnum => $val\n"); }
     if ($val eq "yes") { $answers[$qnum] = 1; }
     if ($val eq "sometimes") { $answers[$qnum] = .75; }
     if ($val eq "maybe") { $answers[$qnum] = .45; }
     if ($val eq "unknown") { $answers[$qnum] = .2; }
     if ($val eq "no") { $answers[$qnum] = 0; }
   }
sub read_dat_file {
  local ($number_of_questions,$number_of_conditions,$max_lev) = (0,0,0);
  local ($line,$condition_name,$factors) = ("","","");
  local ($qnum,$qlevel,$depend,$help_ref,$question,$current_header) = (0,0,"","","");
  open(DAT, "<$cgi name.dat") || die("test.dat unreadable\n");
  @dat = <DAT>;
  close(DAT);
  foreach $line (@dat) {
   if ( = -/^{(^*)}+)^*,(^*d+^*,^*)$/ ) {
     if ( $debug ) { addbody("\n<br/>condition line: $line"); }
     (\$condition name, \$line) = (\$1,\$2);
     $number_of_conditions++;
     =  s/"//g;
     @factors = split(/,/,$line);
     foreach $n (1..$#factors) { $factors[$n] = "q$n=$factors[$n]"; }
     $factors = join(",",@factors);
     $condition{$condition name} = $factors;
     if ( $debug ) { addbody("\%condition $condition_name = $factors"); }
    elsif ($\lim = -/^(d+)(d+)(d+[+-]^*)(w+)(.^*)/)
     if ( $debug ) { addbody("question line: $line"); }
     (\qquad \ ($qnum,$qlevel,$depend,$help_ref,$question) = ($1,$2,$3,$4,$5);
     $q[$qnum] = join("xyzzy",($qnum,$qlevel,$depend,$help ref,$question,$current_header));
     $number_of_questions++;
     if ( $qlevel > $max_lev ) { $max_lev = $qlevel; }
   elsif ( $line =~ /^H (.*)/ ) { $current_header = $1; }
     if ( $debug ) { addbody("unprocessed line:\n$line\n"); }
   }
  if ($debug) {
```



```
$number_of_conditions, max_lev = $max_lev\n");
 ($number_of_questions,$number_of_conditions,$max_lev);
### Cookies ####
sub get state_from_cookie {
 local (\$qnum) = @;
 local (first, qlevel) = (1,1);
 $env cookie = $ENV{HTTP COOKIE};
 if ($debug) {
   addbody("env_cookie = $env_cookie \n");
   addbody("cookiefilter = $answercookiefilter \n");
 if ( $env cookie =~ /$answercookiename=($answercookiefilter)/ ) { $cookie = $1; }
 if ( $env cookie =~ /$levelcookiename=(\d+)/ ) { $glevel = $1; }
 if ( $debug ) { addbody("filtered cookie = $cookie\n"); }
 if ($cookie) {
   @answers = split(/:/, $cookie);
   until ( ($answers[$first] == -1) || ($first > 80) ) { $first++; }
  else {
   foreach n (1..\$qnum) { $answers[\$n] = -1; }
   if ($debug) { addbody("initialized $qnum answers to -1\n"); }
 ($first,$qlevel);
### HTML stuff ###
sub get question html {
 local ($name,$question,$help,$default) = @ ;
 local ($html, $yeschecked, $nochecked) = ("","","");
 if ( $default eq "yes" ) { $yeschecked = "SELECTED"; }
 if ( $default eq "no" ) { $nochecked = "SELECTED"; }
 html = \
  <TD ALIGN=\"CENTER\">\
  <SELECT NAME=\"$name\">\
  <OPTION $yeschecked VALUE=\"yes\">Yes\
  <OPTION VALUE=\"sometimes\">Sometimes\
  <OPTION VALUE=\"maybe\">Maybe\
  <OPTION VALUE=\"unknown\">Don\'t remember\
  <OPTION $nochecked VALUE=\"no\">No\
  </SELECT></TD>\
  <TD>$question<a href=\"/igotpain/$cgi_name/$help.html\" TARGET=\"reference\">(help)</a></TD>\
 \n";
 return($html);
```

```
}
sub addbody {
 push(@body_lines, @_);
sub printtitle {
 local ($title) = @_;
 print "<TITLE>$title</TITLE>";
sub printbody {
  print "<BODY>";
  if ($debug) {print "<PRE>";}
  print @body_lines;
  if ($debug) {print "</PRE>";}
  print "</BODY>";
sub printhtml {
  print "<HTML>\n";
  &printtitle("$html_title");
  &printbody;
  print "</HTML>\n";
sub printheader {
  local ($cookie,$qlevel) = @_;
  print "Content-type: text/html\n";
  print "Set-Cookie: $answercookiename=$cookie\n";
  print "Set-Cookie: $levelcookiename=$qlevel\n";
  print "\n";
```